

Rebuilding a production APL environment using Dyalog

Dyalog '22 – 10/10/2022

Mark I. Wolfson



Summary

- Who is BIG and why is it a perfect use-case for APL
- Old: Middleware environment with awkward links into the production .Net environment and web application
- New: Seamless integration using existing tools and structures.

Big Business – Disrupting the Jewelry Industry


- Prior to BIG - 2005
 - Independent Jewelers – family-owned businesses
 - No POS/Inventory Management
 - Wrong inventory mix
 - Too much non-performing inventory
- Balance to Buy - 2007
 - Improve performance by using data
 - Analyze prior consumer behavior
 - Strategies to reduce aged inventory
 - Budget/Plan/Buy/Manage

How to get data from retailers?

- Retailers with no technical capabilities
 - Direct user upload
 - Emailed reports
 - Monthly data
- Direct POS Integration
 - Daily transmissions
 - With and without cooperation from software companies
 - The Applet – a big ask

Retailer Data – A HOT MESS

- Integration with dozens of systems
 - Varying number of files even for the same system
 - Different formats
 - Flavors of CSV
 - Text files
 - Excel
 - XML
 - JSON
 - Different content
 - Variations in content between retailers using the same system
 - Variations within a retailer depending on who's entering the data
 - Changes over time



Building a monster – the APL2 Solution



BIG

APL2 Production Environment

- One workspace – 1500 functions
 - Old, new, unused
 - 100 Launch functions
 - Check for data, find filenames
 - Error handling
 - Notifications
 - Special-use functions, variations of functions
 - Multiple versions for variations in data
- Mish-mash of workarounds
 - Reading different file formats
 - Excel as data converter
 - Powershell as data converter
 - Ad-hoc converters
 - Kludges to communicate with Production DB
 - Scheduled queries

APL2 Production Environment

- Data expected at a certain time
- Windows scheduled tasks
- .bat files

Dyalog to the RESCUE!

- First impulse: Use Dyalog but keep the same execution structure.
- Better: create new production environment around all the new tools in Dyalog!

New Production Environment

- Windows Service
- Code in text files
- Restructure data directories
- Single unified Launch function
- Global file handling
- Global error handling

Queue Manager

Queued Tasks Hide Filters

Keyword Search:

Tasks Type:
 All
 Report
 Data
 RebuildFilterOptions

Tasks State:
 All
 Ready
 Busy
 Waiting

Refresh Every 15 Seconds

Last Refresh: 9:28:31 AM

Apply Filters Clear

Total Results: 4

ID	Customer	Name	Type	State	Created On	Retry Count	Start Time	DeQueue
3	Gabriel & Co. (Gabriel & Co.) [286]	Import (RACKWEBAPI) - ID 3	DoPartnerImport	Busy	9/28/2022 11:00:14 AM	0	9/28/2022 5:28:47 PM	
9	() [0]	Import (SFTP) - ID 9	DoPartnerImport	Busy	9/29/2022 7:00:02 AM	0	9/29/2022 7:02:14 AM	
59	Smyth Jewelers - Custom (SmythCD21093) [327]	Import (SHOIFY) - ID 59	DoPartnerImport	Busy	9/29/2022 9:00:14 AM	0	9/29/2022 9:03:59 AM	
62	Spicer Fine Jewellers (SpiceFJE2J3W9) [4941]	Import (LIGHTSPEED) - ID 62	DoPartnerImport	Busy	9/29/2022 9:00:14 AM	0	9/29/2022 9:03:59 AM	

Task History Hide Filters

Keyword Search:

Task Type:
 DoClientBookReports
 DoClientBookImages
 APLReport
 APLProcess

Task Status:
 All
 Success
 Failure

Task Start Date:

Task End Date:

Refresh Every 15 Seconds

Last Refresh: 9:28:22 AM

Apply Filters Clear

Total Results: 193

ID	Customer	Name	Type	Status	Created On	Retry Count	Start Time	End Time	Time To Run	ReQueue
select 4947	Pharaohs Jewelry (Pharaoh78413) [4947]	Black Box (Pharaoh)	APLProcess	Success	9/29/2022 9:15:00 AM	0	9/29/2022 9:16:00 AM	9/29/2022 9:16:00 AM	0m 0s	ReQueue
select 1605	NAGI Jewelers (NAGI06905) [1605]	Black Box (NAGI)	APLProcess	Success	9/29/2022 9:06:00 AM	0	9/29/2022 9:06:00 AM	9/29/2022 9:06:00 AM	0m 0s	ReQueue
select 4634	Lou Lou Boutiques (LouLou29601) [4634]	Black Box (LouLou)	APLProcess	Success	9/29/2022 8:48:00 AM	0	9/29/2022 8:48:00 AM	9/29/2022 8:55:00 AM	0m 0s	ReQueue
select 2536	Adele Diamond (Adele23452) [2536]	Black Box (Adele)	APLProcess	Success	9/29/2022 8:11:00 AM	0	9/29/2022 8:11:00 AM	9/29/2022 8:11:00 AM	0m 0s	ReQueue
select 199	Martin Flyer Inc. (Martin Flyer Inc.) [199]	Black Box (MartinFlyer)	APLProcess	Success	9/29/2022 8:10:00 AM	0	9/29/2022 8:10:00 AM	9/29/2022 8:10:00 AM	0m 0s	ReQueue
select 4637	Creme De la Creme (CremeDe20117) [4637]	Black Box (CremeDeLaCreme)	APLProcess	Success	9/29/2022 8:01:00 AM	0	9/29/2022 8:01:00 AM	9/29/2022 8:02:00 AM	0m 0s	ReQueue
select 4512	Southern Avenue Company (SouthAv38138) [4512]	Black Box (SouthAv)	APLProcess	Success	9/29/2022 7:14:00 AM	0	9/29/2022 7:14:00 AM	9/29/2022 7:15:00 AM	0m 0s	ReQueue
select 60	Mountz Jewelers (Mountz17015) [60]	Black Box (Mountz)	APLProcess	Success	9/29/2022 6:07:00 AM	0	9/29/2022 6:07:00 AM	9/29/2022 6:08:00 AM	0m 0s	ReQueue
select 362	Mann's Jewelers (Mann14618) [362]	Black Box (Manns)	APLProcess	Success	9/29/2022 6:04:00 AM	0	9/29/2022 6:04:00 AM	9/29/2022 6:04:00 AM	0m 0s	ReQueue
select 5142	Kimberly-Scott Creations (KimScot13601) [5142]	Black Box (KimberlyScott)	APLProcess	Success	9/29/2022 6:03:00 AM	0	9/29/2022 6:03:00 AM	9/29/2022 6:03:00 AM	0m 0s	ReQueue

1 2 3 4 5 6 7 8 9 10 ...

Task Manager

File Options View


Processes Performance Users Details Services

Name	PID	Description	Status
AJRouter		AllJoyn Router Service	Stopped
ALG		Application Layer Gateway Service	Stopped
APLQueueProcessor	14360	APLQueueProcessor	Running
AppHostSvc	2552	Application Host Helper Service	Running
AppIDSvc		Application Identity	Stopped
Appinfo	576	Application Information	Running
AppMgmt		Application Management	Stopped
AppReadiness		App Readiness	Stopped
AppVClient		Microsoft App-V Client	Stopped
AppXSvc		AppX Deployment Service (AppXSVC)	Stopped
aspnet_state		ASP.NET State Service	Stopped
AudioEndpointBuilder	1116	Windows Audio Endpoint Builder	Running
Audiosrv	1844	Windows Audio	Running
AxlInstSV		ActiveX Installer (AxlInstSV)	Stopped
B2bUploadService	15848	B2bUploadService	Running
BalanceToBuy.QueueProcessor	6560	BalanceToBuy.QueueProcessor	Running
BFE	1332	Base Filtering Engine	Running
BITS		Background Intelligent Transfer Service	Stopped
BoxUpdateSvc	2616	Box Update Service	Running
BrokerInfrastructure	912	Background Tasks Infrastructure Service	Running
bthserv		Bluetooth Support Service	Stopped
BvSshServer	3020	Bitvise SSH Server	Running
BvSshServer-RSA	3048	Bitvise SSH Server - RSA	Running
CbDefense	2948	CB Defense	Running

^ Fewer details | ⚙️ Open Services

New Production Environment

- Windows Service
 - Spawn APL Session to look for new data to process, then queue task
 - Look for task
 - Spawn APL Session to process task
 - Repeat



APL Service

```

Main arg;nid;log;LogFile;path;file;TaskId;Task;Cust;MaxProcs;p
log+(((#TS), ' ',w,[UCS 13 10])NAPPEND α)
path+'c:\APLSource\'
LogFile+path,'APLServiceLog.txt'
:Trap 22
  nid+LogFile NCREATE 0
:Else
  :Trap 22
    nid+LogFile NNTIE 0
    0 NRESIZE nid
  :Else
    'Log Creation Failed'\ΔFV'c:\APLSource\ServiceTest.txt' A []+'Unable to tie or create logfile'
  :EndTrap
:EndTrap
nid log'Starting' ♦ p+1 ♦ i+0 ♦ MaxProcs+3
:While ServiceState≠SERVICE_STOPPED
  :If ServiceControl≠0 ♦ nid log'ServiceControl=',ServiceControl ♦ :EndIf
  :If ServiceState=SERVICE_RUNNING
    A application code
L0:    ConnectBTB ♦ TaskId+,>3>#.SQA.Do'BTB'('Select Top 1 Id from Tasks where TypeId=19 and StateId=1' ♦ CloseBTB
      +(0≠pTaskId)†L1 ♦ 'No Tasks, waiting...' ♦ DDL 30
      ProcU+NEW APLProcess('c:\APLSource\Prod.dws'('MAXWS=4G session_file=c:\APLSource\APLProcess.dse RUN="Utils.QueueUploads" CUST="Queue"')0 'Serve:*:4550')
      DDL 5 ♦ →L0
L1:    ConnectBTB ♦ Task+,>3>#.SQA.Do'BTB'('Select * from Tasks where Id=',TaskId) ♦ Cust+GetBTBShortName 2>Task ♦ CloseBTB
P1:    +(0=NC('Proc',p))†P1A ♦ +(0=≠'Proc',(p),'.HasExited')†P2
P1A:   nid log('Spawning Proc',(p), for ',Cust)
      ≡'Proc',(p),'+NEW APLProcess ('c:\APLSource\Prod.dws'('MAXWS=4G session_file=c:\APLSource\APLProcess.dse RUN="Utils.QueueProcessBBTasks ',(TaskId),'" CUST='',Cust,'''')0 ('Serve:*:',TaskId+p))
      DDL 3 ♦ →L0
P2:    :If p<MaxProcs ♦ p+p+1 ♦ →P1 ♦ :Else ♦ WaitforFinish+DDL 5 ♦ p+1 ♦ →P1 ♦ :EndIf
  :ElseIf ServiceState=SERVICE_PAUSED
    A Pause application
  :EndIf
  ServiceControl+0 A Reset (we only want to log changes)
  DDL 10 A Just to prevent busy loop
:EndWhile
NUNNTIE nid
NNTIE 0

```

Function | Last saved by: Mark: Thursday, February 24, 2022 9:24 AM | Pos: 0/37,1

New Production Environment

- All code in text files, except lean Prod workspace
 - LX
 - Initialize SQL
 - SETPATH – for localized paths
 - ClosedXML
 - Path
 - Check for Prod run
 - Bring in Utils and PostProcess code
 - Set RIDE
 - Set global Error Handling

OLX

```
LX;Emails;ML;CUST;F;Run
ProdRun+0 ♦ PP+15 ♦ ML+3 ♦ Emails+'mark@bigjewelers.com,dave@bigjewelers.com'
SETPATH ♦ SQLInit
USING+'ClosedXML.Excel','ClosedXMLPath','ClosedXML.dll'
PATH+'t #.Utils'
CUST+2 NQ'.' 'GetEnvironment' 'CUST' ♦ Run+2 NQ'.' 'GetEnvironment' 'RUN'
:If ((0≠pCUST)∧0≠pRun) ♦ 'Prod Run'
  ImportFrom'PostProcess' ♦ ImportFrom'Utils'
  RIDE 4500
  ProdRun+1
  :If 'VendorData'=10†CUST ♦ 1 LinkTo(CUSTt'\')†CUST ♦ :ElseIf NEXISTS CodePath,CUST ♦ LinkTo CUST ♦ :EndIf
  :Trap 0
    Run ♦ OFF
  :Else
    DM ΔFV(F+path,'BTBDataFiles\ErrorLogs\',CUST,(ε,/'_','ZI4' 'ZI2' 'ZI2'FMT"3†TS),'.log')
    F EMAILTO Emails,' -subject "',(≠CUST,' failed'),' "' ♦ DM ♦ OFF
  :EndTrap
:Else ♦ LinkTo'PostProcess' ♦ LinkTo'Utils'
:EndIf
```

Modified Function | Last saved by: Mark: 4/12/2022 8:27 AM | Pos: 5/19,0

New Production Environment

- Restructure data directories
 - Incoming data
 - Pending folder
 - Processed folder
- Single unified Launch function
 - Check for production run
 - Look up details of task: retailer, files
 - Move files to Pending
 - Set error handling and notifications
 - Call needed code
 - Move processed files to Processed

Launch


```
Launch
File Edit Syntax Refactor View
Search...
[0] Result+{Task}Launch Cust;BTBID;Folder;Args;F;AddDate;Files;CodeFolder;f;d;C;Limit
[1] A Launch function for all retailer (non-Edge).
[2] A 1. Find which files to pull for Cust, if Cust is numeric, use BTBID, if char, use ShortName
[3] A 2. Move most recent files to Pending folder; Process files; move to Processed folder
[4] Limit+3 ◊ C+0 ◊ (Folder Cust BTBID)+GetBTBNameID Cust ◊ CodeFolder+Folder
[5] +(◊NEXISTS CodePath,CodeFolder)†L00 ◊ CodeFolder+eGetPOS BTBID
[6] L00:AddDate+2>GetArgs CodeFolder ◊ +(0=◊NC'Task')†L0
[7] ConnectBTB ◊ F+†3=#.SQA.Do'BTB'('Select Criteria from Tasks where TypeId=19 and TaskId=',#Task) ◊ CloseBTB ◊ Files+(';!≠F)=F ◊ +L1
[8] L0:(Args AddDate)+GetArgs CodeFolder ◊ Files+GETLATESTFILENAME"(<path),"(<Folder),"'\',"Args~"[' ◊ +(~0€#"~['!€"Args)/Files)†L1 ◊ Result+1 ◊ +0
[9] L1:+((=Cust~' ')€◊NL ~9)†L2 ◊ ◊SE.Link.Import((Cust~' ')(CodePath,CodeFolder))
[10] L2:Files+(0≠#"Files)/Files A Allow 2 5-minute wait times, then bomb
[11] :Trap 19 22
[12] (path,Folder,'\Pending')◊NMOVE Files ◊ >Files+(<path,Folder,'\Pending\'),'(+/"v\"/'!≠φ"Files)†"Files
[13] :Else
[14] ◊DL 300 ◊ +(Limit≥C+C+1)†L2 ◊ +0 ◊ ◊OFF A QueueMoveTaskToHistory(2 Task) ◊ ◊OFF
[15] :EndTrap
[16] Result+±(Cust~' '),'.Run_',((11×'VendorData\!≠11CodeFolder)†CodeFolder~' '),' Files' ◊ +(0.5=Result)†0 ◊ +AddDate†L3 ◊ Files+AddFileDate"Files
[17] L3:(path,Folder,'\Processed')◊NMOVE Files ◊ +(0=◊NC'Task')†0 ◊ ◊EX Cust
Function Last saved by: mark: Tuesday, September 27, 2022 9:22 AM Pos: 0/18,1
```

LocalUser >

Name	Date modified	Type
Columna	10/27/2021 10:21 PM	File folder
Comfort	9/30/2022 8:49 PM	File folder
Congress	9/27/2022 9:44 PM	File folder
Coopers	10/15/2017 4:20 PM	File folder
Corinne	9/30/2022 10:04 PM	File folder
Cornells	8/3/2021 5:30 PM	File folder
Costello	9/30/2022 11:44 PM	File folder
CostelloGlenEllyn	9/30/2022 10:34 PM	File folder
CreativeIrs	9/9/2022 10:30 AM	File folder
CremeDeLaCreme	10/1/2022 8:03 AM	File folder
Crocker	9/30/2022 9:58 PM	File folder
Dalzell	10/15/2017 4:36 PM	File folder
Darakjian	10/15/2017 4:19 PM	File folder
DavidCraig	10/1/2022 11:45 AM	File folder
Days	10/1/2022 7:33 AM	File folder
DaysJewelers	10/1/2022 7:33 AM	File folder
Deans	12/27/2019 12:13 ...	File folder
DeBeers	6/14/2018 12:40 PM	File folder
Decker	12/20/2017 10:17 ...	File folder
Dejaun	1/8/2018 2:24 PM	File folder
DeltonHayes	9/30/2022 9:23 PM	File folder
Denney	4/11/2014 1:20 PM	File folder
Devon	9/23/2022 7:23 AM	File folder
DevTraining	4/26/2022 2:37 PM	File folder
DGeller	9/30/2022 10:16 PM	File folder
DiaCellar	1/6/2019 9:30 PM	File folder
DialInternational	4/29/2020 4:11 PM	File folder
DiamondDistrict	1/14/2020 12:30 AM	File folder
DiamondsDirect	10/1/2022 3:01 PM	File folder

APLSource > DataTeam > LocalUser >

Name	Date modified	Type
Adele	9/19/2021 5:47 PM	File folder
Alters	9/24/2022 7:18 PM	File folder
BlaseDeNat	8/24/2022 9:21 PM	File folder
Brigade	12/15/2021 9:30 PM	File folder
Clientbook	6/29/2022 4:48 PM	File folder
Comfort-old	3/29/2022 7:23 AM	File folder
Costello	4/4/2022 8:33 AM	File folder
CostelloGlenEllyn	4/4/2022 9:55 PM	File folder
CremeDeLaCreme	9/5/2022 7:42 PM	File folder
DBUtils	6/3/2022 8:07 AM	File folder
DCIT	4/19/2022 9:12 PM	File folder
Devon	9/26/2021 6:50 PM	File folder
DGeller	9/5/2022 1:07 PM	File folder
Eastern	6/30/2022 3:59 PM	File folder
Fey	3/11/2022 5:49 PM	File folder
Flawles	8/24/2022 4:50 PM	File folder
Freddys	7/31/2022 2:12 PM	File folder
GeorgeThompson	7/13/2022 9:11 PM	File folder
Hamra	9/26/2021 9:07 PM	File folder
Heartland	12/15/2021 3:52 PM	File folder
Henne	10/13/2021 8:59 PM	File folder
IDC	9/5/2022 7:11 AM	File folder
Internal	5/23/2022 3:44 PM	File folder
JCS	4/11/2022 8:19 AM	File folder
JM2000	9/19/2022 6:59 PM	File folder
Jocalio	7/4/2022 2:52 PM	File folder
JSK	9/19/2022 9:36 AM	File folder
Karens	10/13/2021 10:05 ...	File folder
KimberlyScott	0/5/2022 8:24 AM	File folder



The screenshot shows a code editor window titled "LinkTo". The menu bar includes "File", "Edit", "Syntax", "Refactor", and "View". The toolbar contains icons for undo, redo, search, and text formatting. The code is as follows:

```
[0] {V}LinkTo CUST
[1] + (0≠NC'V')†L1 ♦ V+' ' ♦ +L2
[2] L1:V+'VendorData\'
[3] L2:SE.Link.Create((†NSI),'.',CUST~'')(CodePath,V,CUST)
```

The status bar at the bottom indicates "Function" and "Pos: 0/4,1".

The screenshot shows a code editor window titled "ImportFrom". The menu bar includes "File", "Edit", "Syntax", "Refactor", and "View". The toolbar contains icons for undo, redo, search, and text formatting. The code is as follows:

```
[0] ImportFrom CUST
[1] +((=CUST)ε#.NL ^9)†0 ♦ SE.Link.Import('#.',CUST)(CodePath,CUST)
```

The status bar at the bottom indicates "Function" and "Pos: 0/2,1".

APLSource > DataTeam > LocalUser > DCIT

Name	Date modified	Type	Si
DCITBASE1.aplf	4/3/2022 9:08 AM	Dyalog APL Source	
DCITSales.aplf	11/2/2021 6:55 PM	Dyalog APL Source	
DCITStock.aplf	11/2/2021 6:55 PM	Dyalog APL Source	
FIXDCITONORDER.aplf	9/30/2021 7:56 PM	Dyalog APL Source	
Run_DCIT.aplf	4/19/2022 8:38 PM	Dyalog APL Source	

C:\APLSource\DataTeam\LocalUser\DCIT\Run_DCIT.aplf

File Edit View Help

Search...

```

[0] ⚡→Run_DCIT(FNSales FNStock FNNonInv FNReplen);A2;B;D;H;C;CH;CUST;I;J;Cat;F;LEV;M;OWN;P;S;T;X;DYS;BTBID
[1] ⚡ For (DCIT)
[2] CUST+24⚡THIS ⚡ BTBID+GETBTBID CUST
[3] ImportFrom 'DCIT' ⚡ D+CUST #.DCIT.DCITBASE1(FNSales FNStock FNNonInv FNReplen)
[4] D[;7]+(CATABBREV D[;6 7])[;2]
[5] D[;6 7]+LCTRANS"D[;6 7]~"⚡badchars
[6] D[;6 7]+D[;7 6]
[7] D+(B~(D[;3]e='InStock')^D[;10]<0)⚡D ⚡ Kill items InStock with negative quantities
[8] LSD D
[9] D+BTBID #.PostProcess.POSTPROCESS D
[10] Z+(coltitles OVER D)CSVBLK UploadPath,F+40 OUTPUTFn BTBID
[11] 'Data file created: ',F,' Return code: ',Z

```

Function Last saved by: Pos: 0/12,1

Thank you!

Dyalog '22 – 10/10/2022

Mark I. Wolfson

BIG